



Thank You to the Vendors that provided dinner tonight!



NABSHOW





Where Content Comes to Life





End-to-End Contribution Solutions

Encoding | Decoding | ASI/IP/RF Transport

	ENCODING: 19,400M SUC1:00001 "AdtecHDTU1" Adtec Digital	CAS1:OFF
EN-210 Multi-Codec 10-bit Encoder	Flexible Codec & Transport Options for Live Event Contribution & DSNG	<ul style="list-style-type: none">• AVC (H.264) 4:2:0 / 4:2:2 10-bit• MPEG 2 4:2:0 / 4:2:2
	ENCODING: 44,624M SUC1:00001 "AdtecHDTU1" Adtec Digital	CAS1:OFF
EN-200 1080P60 AVC Super-Low Latency Encoder	Frame Accurate Sync for UHD (4K) Contribution & At-Home Production	<ul style="list-style-type: none">• Simultaneous Transport ASI, RF (DVB-S2X & DVB-CID) & IP Transport (SMPTE 2022 FEC, UDP, RTP, Zixi)
	DECODING IP: 44,624M CAS1:Free to Air SUC1:00001 "AdtecHDTU1" "Adtec Digital"	
RD-71 10-bit 1080P Receiver/Decoder	Super-Low Latency for Sports Contribution & DSNG	<ul style="list-style-type: none">• Simultaneous ASI, RF (DVB-S2X) & IP (SMPTE 2022 FEC, UDP, RTP, Zixi)• Industry-Wide Interoperability
	ENCODING: 38,800M/2 CAS1:OFF TS1:00001 SUC1:ON SUC2:ON	
EN-31 Dual Channel AVC Encoder	Broadcast Quality Compression & Advanced Feature Set for High-Value Applications	<ul style="list-style-type: none">• Eight Channels of Audio Encoding MP1L2, DD, AAC-LC & HE-AAC (2.0 and 5.1)

Distribution Encoding Solutions

Multi-Channel | ASI Remuxing | Multi-Codec

AJA

VIDEO SYSTEMS





New!

IPT-10G2-HDMI

HDMI Video / Audio to IP
SMPTE ST 2110 Converter, Dual 10GigE Interface



IPR-10G2-HDMI


IP SMPTE ST 2110 Video / Audio
to HDMI Converter, Dual 10 GigE Interface



New!


IPT-10G2-SDI


3G-SDI Video / Audio to IP
SMPTE ST 2110 Converter, Dual 10GigE Interface



IPR-10G2-SDI

IP SMPTE 2110 Video / Audio
to SDI Converter, Dual 10 GigE Interface





APANTAC

T# Multiviewer Series

Three different chassis:
 Up to 32 x 4 in rear I/O
 Up to 16 x 4 in rear I/O
 Up to 64 x 16 in rear I/O
 T#1













Universal Inputs:
 30 HD, HD SDI, SD SDI & COMB
 20 SD, SDI, SD SDI, HD SDI
 Composite Inputs: RGB, Y/CB
 PC: Uncompressed & Compressed SF 23.98, 4:3:94

Flexible outputs: Both internal & available below:
 Serial & HD DVI Outputs as needed
Modular:











Audio Support:
 Supports up to 16 SD Uncompressed Audio
 Outputs up to 16 Channels per output
 Analog / HD Stereo / Mono, Coax
 HDMI/SDI Embedded Audio, Coax

UPMC & Labels:
 Two SD Chn. Labels per Window
 Up to 32 Chn. Labels per Window
 Labels can be Static, Pattern Color
 or Dynamic (Y/CB, processed over SD)

Timeline: over IP protocol
 Play Tally, alarm & Sinker Color
 Up to 9 Tally, alarm & Sinker Color
 Up to 9 Tally, alarm & Sinker Color



Director Monitor 2



Architectures: Source signal resolution across all outputs. Scaled Source Signal can be displayed many times on any output.

Alerts: Video Freezing, Freeze, Freeze, Black detection, Configuration Detection & Subtractor, Visual Alarm and QPI output, pre-alarms

Analog & Digital Clocks/Counters: Free running or Sync to LTC, NTP Or use Clocks as Up/Down Counter Counter: On the QPI, SDI, SDI Protocol


Presets & Configuration: Create & Save up to 30 Presets, Recall Presets via QPI, SDI, SDI Protocol over IP, 1-100 & 100 Presets

Logos: Download Storage

Up/Down Counter 00:00:00


Jate & Time 2000/06/09 Fri AM 10:32:12








SMART Media Delivery Platform™



iabm
DESIGN & INNOVATION
AWARDS - 2017
WINNER

BaM
AWARDS 2018
FINALIST


PRODUCT
of the YEAR
NABSHOW
NOMINEE



AIMS
MEMBER




interra
systems




EA

EBU BISS
High Density

Channel in the Cloud
Versatile Playout
MAM - Metadata Management



TITAN
High Density Encoder/Decoder





ATOMOS

ProResRAW

DOLBY VISION

SHOGUN
7" HDR Pro/Cinema
Monitor-Recorder-Switcher
For on-set field and studio production

BUT LINEAR RAW LOVES A BRIGHT EXPOSURE

ATOMOS


SHOGUN 7

▶ 7" HDR Pro/Cinema Monitor-Recorder-Switcher
For in-the-field pro video & on-set production





SHOGUN INFERNO

▶ 7" HDR Pro/Cinema Monitor-Recorder
For in-the-field pro video & on-set production





NINJA V







▶ 5" HDR Pro Monitor-Recorder
For in-the-field social & pro video production



SHINOBI SDI

▶ 5" HDR Pro Monitor
For in-the-field & on-set pro video production







AVIWEST

Shaping tomorrow's *live* video

Live Video Solutions.

- News & Broadcast
- Live entertainment
- Sport coverage
- On-line media

#Remote Production
#Content Distribution

#In the Field,
on Air

THE BEST VIDEO QUALITY
quality

30
saving

iabm
Member


MASTERS OF NETWORKING

All New

Professional Grade
**2.4 GHz Digital
Wireless Microphone**

PRO-XR
eXtremely Robust
eXtremely Reliable

- High quality digital audio
- Not reliant on line-of-sight
- Robust transmission in congested WiFi areas
- Max range of 350 feet or better (ideal conditions)
- Includes smartphone mount and cable adapters for mobile
- Rechargeable lithium-ion batteries



LAUNCHING SUMMER 2019

azden.com







BRIDGE TECHNOLOGIES

BRIDGE TECHNOLOGIES

NRK1 MCR Marienlyst



NRK2 MCR Marienlyst



ALGERIA ASTRA Toulouse



HEADEND STATUS

Source	Status
NRK1	OK
NRK2	OK
ALGERIA	OK
NOMAD	OK


NOMAD Video via VB288



NRK2 via extractor (PPTV)




NRK2 via VB330 1 (PPTV)



NRK2 via VB330 2 (PPTV)



Nomad via extractor (PPTV)



Nomad via VB220-1 (PPTV)



Nomad via VB220-1 (PPTV)



IP SHOWCASE
BE REAL. TAKE MEDIA
IP Showcase PARTICIPANT
NABSHOW Central Hall
G12634

IT-AM
Bridge Technologies

AIMS
MEMBER

iabm
Member





CANON WELCOMES YOU TO THE 2019 NAB SHOW

 @CanonUSApro  @CanonUSAprovideo

UHD BROADCAST LENS FAMILY









Sumire Prime

CANON'S FIRST PL MOUNT PRIME LENS









EVOLUTION

EOS R SYSTEM

Samy's
Cinema Works

Panasonic

WELCOME TO THE 2019 NAB SHOW

AN ALL-NEW CLASS OF LENSES
FOR AN ALL-NEW LOOK


EOS R System



RF 70-200mm
F2.8 L IS USM
(Development Announced)

RF 15-35mm
F2.8 L IS USM
(Development Announced)








HDR REFERENCE DISPLAYS DP-V3001

30 inch

4K




- Meets Dolby Vision Mastering Standard
- 4096 x 2160 Panel - Can Show 3840 Signals
- Edge To Edge Brightness - No Dimming
- 2000 nit Brightness, 0.005 min Black Level
- PQ HLG, ACES 1.0 compatibility
- Supports BT.2020 And ACES2065-
- HD-SDI And Display Port Inputs
- 4K Waveform Monitor
- 3D LUT Import / Export

Canon

Canon

4K MULTIVIEW





AVAILABLE AS A STAND-ALONE = BBG-1002-UDX


Auto-Changeover

K Support

9904-UDX-4K » 12G/6G/3G/HD/SD UHD Up/Down/Cross Converter /
Frame Sync / Embed/De-Embed Audio Processor

9941-R



















IP SIGNALS



NEW



















Cloud / Platform Microservices | Software Defined

evertz evEDGE 2019 **evertz**

 Source 1	 Source 2	 Source 3	 Source 4
 VPROC	 UDX	 IP-DELAY	 VPROC<->IP-DLY

CORPION

evEDGE

MIO-BLADE



HD/SD

3067VIP10G-3G-HW

1080i/59.94

>> LOOK - I THINK THAT BRISBANE DESERVES TO BE ON THIS

SPEED

16:18 7000
36 1000

1080i/59.94

1 2

1080i/59.94

P S T E

THING

1 2

1080i/59.94

Freestyle TV

Radio Two Desert 61 1 km 2

1 2

US West 1080i/59.94

1 2

Roller Coaster

1 2

US East 1080i/59.94

1 2

1080i/59.94

SCTE104 GPI 1 SCTE104 GPI 2

SCTE104 GPI 3 SCTE104 GPI 4

SCTE104 GPI 5 SCTE104 GPI 6

1 2



Pacific
10:49:08

Production Timers:

Count Up: Count Down:

15:47:45 00:13:40

Continuous: Count up:

15:47:34 15:47:15

Central
12:49:08



Eastern
13:49:08

4K

3067VIP10G-3G-HW-CXP







The image cannot be displayed. Your computer may not have enough memory to open the image, or the image may have been corrupted. Restart your computer, and then open the file again. If the red x still appears, you may have to delete the image and then insert it again.

Live Media and Production Solutions

DreamCatcher 8K / 4K Replay | HDR | HFR













Gefei


NO.SL10821

LEADING IP SOLUTIONS

UHD MULTI-VIEWER

HD& IP HYBRID MULTI-VIEWER

IP CONTROL&MONITORING



ST2110 IP GATEWAY



4 Ch. Quad-link UHDSDI display

4xHD/3G SDI+4xHD/3G/4K over ST 2110 inputs
Or 16x HD/3G SDI inputs
Or 16xHD/3G/4K over ST 2110 inputs
HDCP 1.4/2.2 support

IT infrastructure, software control
ST 2110/ST 2022-4 hardware in hybrid
Freely design and manage your broadcast workflow











IP Workflows



End-to-end IP made easy

Integrated IP Routing
GV Convergent • GV Fabric

Convert, Delay, Sync, Process, HDR-SDR
Densité • Alchemist • KudosPro • IQ




4K UHD IP to HDMI Converter
IPVU




Hydra IP Stream



tin Jolicoeur





NASS





AI Video Processing












Highest patching density





HDR
UHK-405 ARHD Portable
Camera System
• True 8K resolution in each RGB
channel
• Full 8K resolution in each RGB
channel with resolution gain tool
• Comprehensive 8K video menu
• 4-point camera for optimal
inspiration and optimal
reflexion
• 4K resolution for
• Comprehensive 4K video menu



VCP Virtual Control Panel

- Application for Windows 10 and Windows 7 PCs inputs
- Remote control for up to 5 cameras from a PC
- Customize the control panel GUI for the application



Ikegami

RM-51A

GAIN
ND
CC



Left button, Left arrow, Right arrow

MENU SET SCENE FILE MENU >hold PANEL ENABLE

CAP BARS AWB ABB

MENU NAVIGATE A.KNEE

GAIN
DETAIL




PED



M.PED TALLY CLR AUTO



KNOB FREE RELATIVE HEAD PWR ALARM LENS EXT IRIS











HOLM-3125X 31-inch 4K/HDR Monitor

- 31.1-inch 4096x2160 pixel 10-bit resolution panel
- LED backlit LCD with wide critical viewing angle
- 4K input - Quad 3G and 12G, also 3G-HD SDI and HDR inputs
- HDR Support for HLG and PQ transfer curves
- Wide Color Gamut
- High Contrast Ratio: 1 million:1
- Maximum Brightness: 1000 nits

inetsat

Distribution

Use Inetsat as an alternative to Satellite to distribute your TV channel

Localization

Localize advertisement, replace content and overlay graphics to increase your revenues and meet licensing or regulatory requirements

Playout

Use Inetsat's powerful, flexible and cost effective platform instead of a traditional playout chain



TRADITIONAL VS. INETSAT



Storage
Playout
Subtitling
Graphics
Encoding
Recording



www.inetsat.com












Rub Rails

Only available from
GA Gerling and
Associates

We Understand Remote
Television

DISTRIBUTOR









LEYARD™

PLANAR®

8K LED Video Wall



8K
ULTRA HD

Powered By
7th
Sense

On-Camera LED Video Wall Solutions

Leyard® TVF Series
Front-Service Fine Pitch LED Video Wall



1.2mm









HEVC MediaKind
everyone. everywhere.


),
ation Team



MediaKind
MediaKind

Contribution - Live Events

MediaKind
everyone. everywhere.



Cygnus AVP 2000 / 3000
Multi Channel

IP and/or Satellite





Cygnus RX1
Multi Channel

High quality low latency contribution links.

IP SHOWCASE
REAL-TIME MEDIA
IP Showcase PARTICIPANT
NARROW Central Hall

Mission Critical WAN IP Transport Solutions

10G H
Play
(Data
Audi



100G

100G


IP TRANSPORT
AND BEYOND™

SU3324

Equipment
Demonstration

Mission Critical WAN IP Transport Solutions

10G Hitless Triple
Play Switching
(Data, Video,
Audio)




Step change,
remote IP-based

neVION

neVion Virtuoso
Software-defined network



Start your journey through converged IP networks here



neVion VideoPath
Convergence and SDN control







NIKON STUDIO
POWERED BY POLYCAM CHAT

5-axis image sensor shift VR
For stable hand-held shooting

POLYCAM
TRACK / FOLLOW / CAPTURE

STUDIO B
BROADCAST CAMERA

SHURE

RE

U

MSWC

Capturing Images that would be impossible by hand

B.L.T.

B.L.T.











PHABRIX®


IP | UHD | HDR
TEST & MEASUREMENT

SDI-STRESS

Qx

ST 2110
Qx IP, Sx TAG

ST 2022-6
Qx IP, Sx TAG



Qx Series
IP/SDI/Sx, INCLUDES: HIERARCHICAL GENERATION, ANALYSIS & MONITORING

Rx Series
ADVANCED TEST SYSTEMS FOR 2K/4K/8K/10K/12K/16K/20K/30K/40K/50K/60K/70K/80K/90K/100K/120K/140K/160K/180K/200K/240K/280K/320K/360K/400K/440K/480K/520K/560K/600K/640K/680K/720K/760K/800K/840K/880K/920K/960K/1000K/1100K/1200K/1300K/1400K/1500K/1600K/1700K/1800K/1900K/2000K/2100K/2200K/2300K/2400K/2500K/2600K/2700K/2800K/2900K/3000K/3100K/3200K/3300K/3400K/3500K/3600K/3700K/3800K/3900K/4000K/4100K/4200K/4300K/4400K/4500K/4600K/4700K/4800K/4900K/5000K/5100K/5200K/5300K/5400K/5500K/5600K/5700K/5800K/5900K/6000K/6100K/6200K/6300K/6400K/6500K/6600K/6700K/6800K/6900K/7000K/7100K/7200K/7300K/7400K/7500K/7600K/7700K/7800K/7900K/8000K/8100K/8200K/8300K/8400K/8500K/8600K/8700K/8800K/8900K/9000K/9100K/9200K/9300K/9400K/9500K/9600K/9700K/9800K/9900K/10000K

Sx Series
VERSATILE HANDHELD TEST AND MEASUREMENT INCLUDING HYBRID IP/SDI & SDI EYE/DIYER ANALYSIS

SR Live for HDR
Solution Partner









Unified Sports Venue Solution



A large LED display showing a baseball game in progress at XPression Stadium. The field is green with brown bases. On the left side of the display, there are two scoreboards. The top one shows a score of 7-7, and the bottom one shows 1-20 and 20. Below the scoreboards is a 'LifeMedInsurance' logo. On the right side of the display, there is a statistics table and a photo of two people smiling. The display is labeled 'PRV555NLURSD1' on the right side.





SWITCH

IGGY

POWER / STATUS
PTP SLAVE / MASTER
PTP LOCK
NET1 ACTIVITY
MADI LOCK
TALLY / GPIO
MADI

ROSS

Ref Clk OUT
IN
75Ω
HiZ
POWER
+15V 4A
CONTROL
PoE NET1
NET 2



NEWT

STATUS
CONTROL
MICRO SD
NET 1
NET 2


ROSS

POWER
+15V 4A
SDI 4
SDI 3
SDI 2
SDI 1
SDI 0
HDMI
HDMI 2.0


RAPTOR

DashBo
Configure and Co
& DashBoard

HDMI 2







KVM Systems

pro-xi









SHARP®

80" 8K TV




70" 8K Museum





AI-Based Video Analytics

Edge Analytics Appliance





SONY

Crystal LED
Display System



A small sampling of some of the companies utilizing CLED.

SONY

FLUOTECH

© Instablog



SONY
Crystal LED
Display System

A small sampling of some of the
companies utilizing LED

SONY

FLUORTEC

Insta360

LCD HDR Monitors

ony offers an HDR monitor lineup
an entry to high-end which fulfills
the HDR monitoring needs from
production to post.



LMD-A170



LMD-A220



LMD-P340

HDR Monitor Line up

Sony offers an HDR monitor lineup from entry to high-end which fulfills the HDR monitoring needs from production to post.

OLED HDR Monitors

TRIMASTER EL



PVM-X550









MixPre-3
AUDIO RECORDER | MIXER | USB INTERFACE
3 KASHMIR MIC PREAMPS / 3 CHANNELS / 5 TRACKS

Anytime. Anywhere.

MixPre-3
AUDIO RECORDER | MIXER | USB INTERFACE
• 3 preamps, 3 channels, 5 tracks
• High-quality analog-to-digital conversion, ultra-low noise floor
• Record to SD cards, up to 128GB
• Remote control via smartphone app
• Easy integration with DAWs
• Perfect for DSLRs and video cameras
• Standard 1/4" TRS outputs
• Up to 100 hours of recording with up to 128GB of SD cards



STUDIO TECHNOLOGIES INC.





SWIT SW-M500
500m Wireless HD
3GSDI & HDMI, 500 meters
OLED info, DFS, 1-4 Multicast


SWIT
Joyce Li
Sales Manager
joyce@swit.us
SWIT Electronics America, Inc.
Add: 3500 Joyce Blvd. #1-02
San Jose, CA 95134
Tel: 408-251-2222
www.swit.us



2022-7 Demo

Different packet drop value is introduced in the RED and BLUE Network.

The display below shows the corrected 2022-7 result.



DropDemoBlue



ST 2110 at 10/25G Video & Audio Over IP

/ PRISM / Timing Analysis / ST2022-7 / NMOS /





Products

Audio Monitoring Solutions

IP Comes as Standard

Control Systems
Libraries, Scalable

mic CAM9 Mic Sr

2,000 Installations Worldwide
efficient flows ship





ARISTA AMWA

Dante




- 3G SDI
- AES
- ANA
- AES67
- S2022-6
- S2110

Joint Task Force Roadmap*



Audio Monitoring is Evolving





- Customizable configuration
- Lock-down controls
- Expandable capabilities via lic



TSL Productions

- LOOK DOWN CONTROLS
- ✓ Expandable capabilities via licenses





More flexible and efficient workflows. New for supported e.g. UHD mezzanine compressed

Current and mature technology.

**See Dematerialized Facilities FAQ at JT-NM.org for more information.
*Visit JT-NM.org for the latest update.



PTZ Camera Rack Monitor

12G-SDI / 4K HDR Monitor

Creation

AbelCine

4K / 12G / HDR

LUM-310R



TYlogio

LUM-310R 31" 12G-SDI 4K HDR Rack Monitor

Model	Price
LUM-310R	€ 2.990,00
LUM-310R-2	€ 3.490,00
LUM-310R-3	€ 3.990,00
LUM-310R-4	€ 4.490,00
LUM-310R-5	€ 4.990,00
LUM-310R-6	€ 5.490,00
LUM-310R-7	€ 5.990,00
LUM-310R-8	€ 6.490,00
LUM-310R-9	€ 6.990,00
LUM-310R-10	€ 7.490,00
LUM-310R-11	€ 7.990,00
LUM-310R-12	€ 8.490,00
LUM-310R-13	€ 8.990,00
LUM-310R-14	€ 9.490,00
LUM-310R-15	€ 9.990,00
LUM-310R-16	€ 10.490,00
LUM-310R-17	€ 10.990,00
LUM-310R-18	€ 11.490,00
LUM-310R-19	€ 11.990,00
LUM-310R-20	€ 12.490,00
LUM-310R-21	€ 12.990,00
LUM-310R-22	€ 13.490,00
LUM-310R-23	€ 13.990,00
LUM-310R-24	€ 14.490,00
LUM-310R-25	€ 14.990,00
LUM-310R-26	€ 15.490,00
LUM-310R-27	€ 15.990,00
LUM-310R-28	€ 16.490,00
LUM-310R-29	€ 16.990,00
LUM-310R-30	€ 17.490,00
LUM-310R-31	€ 17.990,00
LUM-310R-32	€ 18.490,00
LUM-310R-33	€ 18.990,00
LUM-310R-34	€ 19.490,00
LUM-310R-35	€ 19.990,00
LUM-310R-36	€ 20.490,00
LUM-310R-37	€ 20.990,00
LUM-310R-38	€ 21.490,00
LUM-310R-39	€ 21.990,00
LUM-310R-40	€ 22.490,00
LUM-310R-41	€ 22.990,00
LUM-310R-42	€ 23.490,00
LUM-310R-43	€ 23.990,00
LUM-310R-44	€ 24.490,00
LUM-310R-45	€ 24.990,00
LUM-310R-46	€ 25.490,00
LUM-310R-47	€ 25.990,00
LUM-310R-48	€ 26.490,00
LUM-310R-49	€ 26.990,00
LUM-310R-50	€ 27.490,00



What's Now...
ST 2110 & ST 2022
4K/8K/HDR




What's Next...
E.D.G.E.

42 Years in Business - 10 Year Warranty - 0 End of Life Letters


SDI - IP Hybrid



COTS IP Switching










- Search Channels
- Home > Channels
- 3 Mosaic channel
 - 5 CNN HD
 - 6 FNC HD
 - 7 MSNBC HD
 - 8 TF1 HD
 - 9 Golf HD
 - 10 BFM Buisness HD
 - 11 Das Erste
 - 12 Bloomberg
 - 13 Weather Channel
 - 14 ESPN2 HD
 - 15 ESPN HD
 - 16 NFL Quad
 - 17 NBA Quad
 - 18 BBC World News
 - 19 HLN
 - 57 Warriorts TV
 - 69 BEIN HD
 - 85 NBATV_01
 - 86 Nellis AFB
 - 87 NBATV_02
 - 177 Ace Live Stream
 - 220 PAC-12



GOLF CENTRAL

SCORING THIS SEASON ON PGA TOUR

ROUNDS IN 60s	5
ROUNDS IN 80s	3
SCORING AVERAGE	73.23
SCORE TO PAR	+41

Mosaic channel

TIGER WOODS

3 MISSED CUTS THIS SEASON ON PGA TOUR
MOST IN ANY SEASON OF PROFESSIONAL CAREER

winn+PGA TOUR FEDEXCUP Charley Hoffman 1,473

Logos: VITEC, FOX NEWS, MSNBC, AXS TV, GOLF CHANNEL, A&E, LIVE GOLF









Dante
SPOKEN HERE

iabm
Member

iAM Series

INTEGRATE INTEGRATES WITH POPULAR 3rd PARTY DEVICES
CONTROL CONTROL UNIT PRESETS USING AN API
MONITOR BROWSER-BASED MONITORING ON MULTIPLE DEVICES

Wohler



AoIP & VoIP Monitoring Solutions

Wohler



Multi-Channel Audio & Video Monitoring

3G/HD/SD-SDI | AES3 | ANALOG | MADI | DOLBY | DANTE | AES67 | ST2022 | ST2110 | MPEG2/4

Wohler



iAM Series

Dante
AES67
SMPTE 2110 & 2022



INTEGRATE INTEGRATES WITH POPULAR 3rd PARTY ROUTERS
CONTROL CONTROL UNIT PRESETS USING AN API
MONITOR BROWSER-BASED MONITORING ON MULTIPLE DEVICES

Wohler

iAM Series








Diversified IP Road Show

12:06 PM
4/11/2019



Diversified IP Road Show





Bob Baker
Sr. Media Transport Architect
Turner Broadcasting
Bob.baker@turner.com