Revision of SMPTE 2052-0:2010

# **SMPTE ROADMAP**

# SMPTE-TT and Format Translation – Roadmap for the 2052 Document Suite



Page 1 of 5 pages

# 1 Document Roadmap

SMPTE ST 2052-1, Timed Text Format (SMPTE-TT), specifies a 'core standard' and defines the Timed Text format. SMPTE-TT can be used in an end-to-end broadband infrastructure as a native format – including authoring and rendering.

However, existing (legacy) captioning formats exist worldwide that have a large body of captions authored in and/or distributed in their individual syntax. To properly 'translate' those existing caption syntax formats, individual "Format Translation" documents are created as SMPTE Recommended Practices. SMPTE RP 2052-10, Conversion of CEA-608 Data to SMPTE-TT, describes how the legacy CEA-608 syntax (including analog video waveform) can be mapped into the SMPTE-TT format and SMPTE RP 2052-11, Conversion of CEA-708 Data to SMPTE-TT, describes how the CEA-708 syntax can be mapped into the SMPTE-TT format.

Additional translation documents are envisioned for inclusion in the 2052 "family" of specifications.

### 2 Scope

This document provides context to the 2052 "family" of the core standard and the related, optional, format conversion document(s). This document is introductory and does not contain any normative requirements.

#### 2.1 Scope - SMPTE ST 2052-1:2013

This Standard defines the SMPTE profile of W3C Timed Text Markup Language (TTML), designated SMPTE-TT, which may represent Captions or Subtitles. It identifies the features from TTML required for interoperability between display systems for the format. In order to preserve certain semantic features of the input formats, SMPTE-TT also defines some standard metadata terms to be used, and some extension features not found in TTML.

#### 2.2 Scope - SMPTE RP 2052-10:2013

This recommended practice document defines the preferred method of converting from CEA-608 data streams to SMPTE-TT (as defined in SMPTE ST 2052-1). This document details how such a conversion can be made, and defines some constraints on the translation process so that the resulting SMPTE-TT file is interoperable between SMPTE-TT implementations.

# 2.3 Scope - SMPTE RP 2052-11:2013

This recommended practice document defines the preferred method of converting from CEA-708 data streams to SMPTE-TT (as defined in SMPTE ST 2052-1). This document details how such a conversion can be made, and defines some constraints on the translation process so that the resulting SMPTE-TT file is interoperable between SMPTE-TT implementations.

#### 2.4 Other Related Documents

SMPTE has also published informative documents related to the use of the 2052 "family".

#### SMPTE Technical Report - TTML Features for IMF Data Essence

https://www.smpte.org/sites/default/files/24TB-Captions-Report-IMF-TTML-Features-20121001.pdf

and

**24TB Technical Report - Internet Caption Technical Requirements for SMPTE Timed Text** https://www.smpte.org/sites/default/files/24TB-FCC-Technical-Requirements-20120908.pdf

Tutorials and background information about SMPTE-TT are also available:

#### **SMPTE PDA Now: SMPTE Timed Text**

http://sas-

origin.onstreammedia.com/origin/smpte0109/SMPTE\_Standards/2012\_Standards\_Webcasts /2012\_SMPTE\_Standards\_Webcast-SMPTE\_TT-v2/SMPTE%20PDA%2020120224%20SMPTE-TT-Handout-Final.pdf

https://www.youtube.com/watch?v=TEJW1Se4e5c&feature=player\_embedded

# SMPTE Webcast: Internet Captioning Implications of the Multi-Platform, Multi-Display Ecosystem

http://youtu.be/QxagWb2dqPE

https://www.smpte.org/sites/default/files/2013-07-26-Captions-Livingston-V3-Handout.pdf

### 3 Contextual Overview of 2052 SMPTE-TT

Figure 1 depicts a simplified pictorial of the overall ecosystem of how captioning flows from authoring to enddevice. In general, the introduction of broadband content distribution (more of a "PC-type" distribution means) into the existing "Broadcast / Cable-type" distribution means created a potential "gap" and the investigation that resulted in SMPTE-TT and related translation RP(s).




Figure 1

Figure 2 depicts how the SMPTE-TT specification, in a specific example for CEA-608, receives content from the format translator (in this example SMPTE RP 2052-10). Also of note, the "tunnel" feature of SMPTE-TT whereby the "waveform" of CEA-608 is translated into SMPTE-TT, but can be recreated at the analog video output of the end-device.

# Overview Example: Legacy CEA-608




Figure 2

Figure 3 depicts the SMPTE-TT embodiment in a client (end-device) and how TTML is both rendered and how the "tunnel" provides the source for the analog waveform in the CEA-608 example.

# Overview Example: Legacy CEA-608




Figure 3